

Families of Linear Systems Lab

Math 230

due Friday, November 10 at 4pm

In this lab you will investigate four different two-parameter families of linear systems of differential equations. In each case the parameters are two real numbers, a and b . Your goal is to provide a picture of the “parameter plane” (i.e., the ab -plane) for each family of linear systems. *Note:* We are not talking about the trace-determinant plane here; the horizontal axis should be the a -axis, and the vertical axis should be the b -axis.

For each family, first write the matrix representation of the system and find all eigenvalues (which, of course, depend on both a and b). Then determine the sets of points (a, b) for which there are repeated eigenvalues, zero eigenvalues, or purely imaginary eigenvalues, and draw (i.e. graph) these sets in the ab -plane.

Next, in each region between the curves that you graphed, determine the type of phase plane that occurs (e.g., saddle, spiral sink, etc.). Also indicate what points (a, b) result in repeated zero eigenvalues.

You need not display the direction that solutions travel around the origin when the eigenvalues are complex, and you do not need to compute or display eigenvectors.

Finally, for each family, write a paragraph addressing the following: As the values of a and b change so that the point (a, b) moves from one region to another, the type of linear system changes—that is, a bifurcation occurs. At which bifurcations is there a change in the long-term behavior of solutions? Which of these bifurcations corresponds to a dramatic change in the phase plane or the $x(t)$ - and $y(t)$ -graphs?

Here are the four families:

Family 1:

$$\begin{aligned}\frac{dx}{dt} &= ay \\ \frac{dy}{dt} &= bx\end{aligned}$$

Family 2:

$$\begin{aligned}\frac{dx}{dt} &= ax - by \\ \frac{dy}{dt} &= \frac{b}{4}x\end{aligned}$$

Family 3:

$$\begin{aligned}\frac{dx}{dt} &= 2bx + (a + 1)y \\ \frac{dy}{dt} &= (a - 1)x\end{aligned}$$

Family 4:

$$\begin{aligned}\frac{dx}{dt} &= 2bx - y \\ \frac{dy}{dt} &= (\sin^2 a)x\end{aligned}$$

Technology

To help understand the effect of the parameters a and b on the phase plane, consider using the `Manipulate` function in *Mathematica*. For example, try the following for Family 2:

```
Manipulate[ StreamPlot[ {a*x - b*y, b*x/4}, {x, -5, 5}, {y, -5, 5} ],  
           {a, -20, 20}, {b, -20, 20} ]
```

Note that exploring the stream plot using `Manipulate` will not replace the algebraic analysis of the eigenvalues, but it can help you confirm that your analysis is correct.

Lab Report

Type your answers to the numbered items above in a document. You may use L^AT_EX or a word processor. You may draw diagrams by hand. *Do not* turn in a *Mathematica* file. **If you submit your lab electronically, please submit a PDF file.**

Grading

Your lab report will be graded out of 40 points, based on the following criteria:

1. **Correctness:** Answers and supporting work are mathematically accurate. In particular, the bifurcations have been correctly identified. (20 points)
2. **Completeness:** Assigned questions are answered completely, with appropriate details and justification to support the answers. (8 points)
3. **Clarity:** Explanations are clear and concise. English sentences are used along with equations to explain mathematical reasoning. (6 points)
4. **Presentation:** Work is presented in a typed document that is neat, organized, and easy to read. (6 points)